



STIC Search Report

Biotech-Chem Library

STIC Database Tracking Number: 157676

TO: Shailendra Kumar

Location: 5c03 / 5c18

Thursday, June 30, 2005

Art Unit: 1621

Phone: 571-272-0640

Serial Number: 10 / 785301

From: Jan Delaval

Location: Biotech-Chem Library

Remsen 1a51

Phone: 571-272-2504

jan.delaval@uspto.gov

Search Notes

Jan Please

Access DB# 157676

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: S. Kumar Examiner #: 69594 Date: 6/28/05
Art Unit: 1621 Phone Number 303-20640 Serial Number: 101785301
Mail Box and Bldg/Room Location: RFM 5C03 Results Format Preferred (circle): PAPER DISK E-MAIL
9C1P

If more than one search is submitted, please prioritize searches in order of need.

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: Catalytic Transamidation and amide metathesis under moderate conditions
Inventors (please provide full names): Shannon S. Stahl et. al.

Earliest Priority Filing Date: 2/24/03

1. Amide metathesis and transamidation reactions comprising reacting in a solvent at least two reactants, the reactants comprising at least two distinct amides, or at least one amide and at least one amine, in the presence of a metal-containing catalyst, at a temperature of about 250°C or less, wherein a reaction takes place and the reaction is selected from the group consisting of transamidation and amide metathesis reactions.
2. The reaction of claim 1, wherein the reactants are reacted at a temperature of about 150°C or less.
3. The reaction of claim 1, wherein the reactants are reacted at a temperature of from about 90°C to about 150°C.
4. The reaction of claim 1, wherein the reactants are reacted at a temperature of from about 90°C to about 250°C.
5. The reaction of claim 1, wherein the metal-containing catalyst is selected from the group consisting of amido-ligated transition or main group metals, transition metals bearing anionic ligands, main group metals bearing anionic ligands, Lewis acidic metal complexes, and combinations thereof.
6. The reaction of claim 1, wherein the reactants are reacted in an aromatic, non-polar, aprotic solvent.

Jan 22 2004
6/30/05

=> fil reg
FILE 'REGISTRY' ENTERED AT 14:23:44 ON 30 JUN 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 29 JUN 2005 HIGHEST RN 853295-05-3
DICTIONARY FILE UPDATES: 29 JUN 2005 HIGHEST RN 853295-05-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.


*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> => d ide can tot 190

L90 ANSWER 1 OF 6 REGISTRY COPYRIGHT 2005 ACS on STN
RN 144026-79-9 REGISTRY
ED Entered STN: 21 Oct 1992
CN Methanesulfonic acid, trifluoro-, scandium(3+) salt (9CI) (CA INDEX NAME)
OTHER NAMES:
CN Scandium triflate
CN Scandium trifluoromethanesulfonate
CN Scandium tris(trifluoromethanesulfonate)
CN Scandium(3+) triflate
CN Scandium(III) triflate
CN Scandium(III) trifluoromethanesulfonate
CN Trifluoromethanesulfonic acid scandium(3+) salt
DR 551942-89-3
MF C H F3 O3 S . 1/3 Sc
CI COM
SR CA
LC STN Files: BIOSIS, CA, CAPLUS, CASREACT, CEN, CHEMCATS, CSCHEM,
TOXCENTER, USPAT2, USPATFULL
CRN (1493-13-6)



● 1/3 Sc(III)

692 REFERENCES IN FILE CA (1907 TO DATE)
 10 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 695 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 143:8120

REFERENCE 2: 142:481884

REFERENCE 3: 142:481631

REFERENCE 4: 142:463247

REFERENCE 5: 142:463241

REFERENCE 6: 142:447508

REFERENCE 7: 142:438642

REFERENCE 8: 142:430091

REFERENCE 9: 142:429983

REFERENCE 10: 142:422416

L90 ANSWER 2 OF 6 REGISTRY COPYRIGHT 2005 ACS on STN

RN 32093-39-3 REGISTRY

ED Entered STN: 16 Nov 1984

CN Aluminum, bis[μ-(N-methylmethanaminato)]tetrakis(N-methylmethanaminato)di- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Aluminum, bis[μ-(dimethylaminato)]tetrakis(dimethylaminato)di- (8CI)

CN Aluminum, tris(dimethylamino)-, dimer (7CI)

CN Methanamine, N-methyl-, aluminum complex

OTHER NAMES:

CN Hexakis(dimethylamido)dialuminum


CN Tris(dimethylamino)alane dimer

MF C12 H36 Al2 N6

CI CCS

LC STN Files: CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CSCHEM, GMELIN*, USPAT2, USPATFULL

(*File contains numerically searchable property data)



40 REFERENCES IN FILE CA (1907 TO DATE)
 40 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

REFERENCE 1: 142:307977

REFERENCE 2: 141:412742

REFERENCE 3: 141:387680

REFERENCE 4: 139:284784

REFERENCE 5: 139:223108

REFERENCE 6: 138:320705

REFERENCE 7: 137:178910

REFERENCE 8: 137:85712

REFERENCE 9: 137:25955

REFERENCE 10: 136:286888

L90 ANSWER 3 OF 6 REGISTRY COPYRIGHT 2005 ACS on STN

RN 7440-67-7 REGISTRY

ED Entered STN: 16 Nov 1984

CN Zirconium (8CI, 9CI) (CA INDEX NAME)

OTHER NAMES:

CN zirconium

CN Zirconium element

DR 141631-74-5, 141631-75-6, 141631-77-8, 182260-46-4

MF Zr

CI COM

LC STN Files: AGRICOLA, ANABSTR, AQUIRE, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMLIST, CHEMSAFE, CIN, CSCHEM, CSNB, DDFU, DETHERM*, DIOGENES, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT, ENCOMPPAT2, HSDB*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NIOSHTIC, PIRA, PROMT, RTECS*, TOXCENTER, TULSA, ULIDAT, USPAT2, USPATFULL, VTB

(*File contains numerically searchable property data)

Other Sources: DSL**, EINECS**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information)

Zr

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

67919 REFERENCES IN FILE CA (1907 TO DATE)
4551 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
67981 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 143:18811

REFERENCE 2: 143:18487

REFERENCE 3: 143:18425

REFERENCE 4: 143:17846

REFERENCE 5: 143:15165

REFERENCE 6: 143:15101

REFERENCE 7: 143:14350

REFERENCE 8: 143:14315

REFERENCE 9: 143:12938

REFERENCE 10: 143:12802

L90 ANSWER 4 OF 6 REGISTRY COPYRIGHT 2005 ACS on STN
RN 7440-32-6 REGISTRY

ED Entered STN: 16 Nov 1984

CN Titanium (8CI, 9CI) (CA INDEX NAME)

OTHER NAMES:

CN 38: PN: WO2005010031 SEQID: 38 claimed protein

CN Alpaste RTA 030

CN C.P. Titanium

CN DAT 1

CN DAT 5E

CN Dentcraft Titan Ingot

CN EBT

CN EBT (metal)

CN Elgard 210

CN M 350

CN M 350 (metal)

CN N 233

CN Smelloff-Cutter Titanium

CN TB 340

CN TC 459

CN TG-Tv

CN Timet 115

CN Titan 100

CN Titan 20A

CN Titanium element

CN Titanium fulleride (TiC20)

CN Tiunite

CN TP 270H

CN TPS 350

CN TR 28C
 CN Tritan Til/31
 CN Titanium
 CN TW 340
 CN Ventron 00901
 DR 53549-90-9, 54319-51-6, 57854-37-2, 62650-70-8, 67796-94-5, 182260-48-6,
 195161-81-0
 MF Ti
 CI COM
 LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BIOBUSINESS, BIOSIS, BIOTECHNO,
 CA, CABA, CANCERLIT, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS,
 CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, CSNB, DDFU, DETHERM*, DIOGENES,
 DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT, ENCOMPPAT2, HSDB*,
 IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NIOSHTIC, PIRA,
 PROMT, RTECS*, TOXCENTER, TULSA, ULIDAT, USPAT2, USPATFULL, VTB
 (*File contains numerically searchable property data)
 Other Sources: DSL**, EINECS**, TSCA**
 (**Enter CHEMLIST File for up-to-date regulatory information)

Ti

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

154055 REFERENCES IN FILE CA (1907 TO DATE)
 6627 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 154300 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 143:18819
 REFERENCE 2: 143:18811
 REFERENCE 3: 143:18786
 REFERENCE 4: 143:18619
 REFERENCE 5: 143:18596
 REFERENCE 6: 143:18566
 REFERENCE 7: 143:18562
 REFERENCE 8: 143:18425
 REFERENCE 9: 143:18295
 REFERENCE 10: 143:18090

L90 ANSWER 5 OF 6 REGISTRY COPYRIGHT 2005 ACS on STN
 RN 3275-24-9 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN Methanamine, N-methyl-, titanium(4+) salt (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Dimethylamine, titanium(4+) salt (8CI)
 CN Titanium, tetrakis(dimethylamino)- (6CI, 7CI)
 OTHER NAMES:
 CN TDMAT
 CN Tetra(dimethylamino)titanium

CN Tetrakis(dimethylamido)titanium
 CN Tetrakis(dimethylamido)titanium(IV)
 CN Tetrakis(dimethylamino)titanium
 CN Tetrakis(N-methylmethanaminato)titanium
 CN Titanium octamethyltetraamide
 CN Titanium tetra(N,N-dimethylamide)
 CN Titanium tetradimethylamide
 CN Titanium tetradimethylamine
 CN Titanium tetrakis(dimethylamide)
 CN Titanium(4+) dimethylamide
 DR 701980-89-4, 12541-08-1, 7229-79-0, 15050-40-5, 139984-20-6, 71400-78-7,
 34870-82-1, 41291-74-1, 245655-35-0
 MF C2 H7 N . 1/4 Ti
 CI COM
 LC STN Files: BEILSTEIN*, BIOSIS, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS,
 CHEMLIST, CIN, CSCHEM, DETHERM*, IFICDB, IFIPAT, IFIUDB, MSDS-OHS, PIRA,
 TOXCENTER, USPAT2, USPATFULL
 (*File contains numerically searchable property data)
 Other Sources: EINECS**, TSCA**
 (**Enter CHEMLIST File for up-to-date regulatory information)
 CRN (124-40-3)



● 1/4 Ti(IV)

653 REFERENCES IN FILE CA (1907 TO DATE)
 8 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 656 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 18 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

REFERENCE 1: 143:7550
 REFERENCE 2: 142:492687
 REFERENCE 3: 142:474783
 REFERENCE 4: 142:472924
 REFERENCE 5: 142:421534
 REFERENCE 6: 142:402271
 REFERENCE 7: 142:377795
 REFERENCE 8: 142:307945
 REFERENCE 9: 142:289649
 REFERENCE 10: 142:287996

L90 ANSWER 6 OF 6 REGISTRY COPYRIGHT 2005 ACS on STN
 RN 108-88-3 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN Benzene, methyl- (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:

CN Toluene (8CI)

OTHER NAMES:

CN 1-Methylbenzene

CN Antisal 1a

CN CP 25

CN CP 25 (solvent)

CN Methacide

CN Methylbenzene

CN Methylbenzol

CN NSC 406333

CN Phenylmethane

CN Toluol

FS 3D CONCORD

MF C7 H8


CI COM

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHEM, CSNB, DDFU, DETHERM*, DIOGENES, DIPPR*, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT, ENCOMPPAT2, GMELIN*, HODOC*, HSDB*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, NAPRALERT, NIOSHTIC, PDLCOM*, PIRA, PROMT, PS, RTECS*, SPECINFO, SYNTHLINE, TOXCENTER, TULSA, ULIDAT, USPAT2, USPATFULL, VETU, VTB

(*File contains numerically searchable property data)

Other Sources: DSL**, EINECS**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

81615 REFERENCES IN FILE CA (1907 TO DATE)

921 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

81759 REFERENCES IN FILE CAPLUS (1907 TO DATE)

24 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

REFERENCE 1: 143:18909

REFERENCE 2: 143:18902

REFERENCE 3: 143:18894

REFERENCE 4: 143:18891

REFERENCE 5: 143:18882

REFERENCE 6: 143:18880

REFERENCE 7: 143:18748

REFERENCE 8: 143:18605

REFERENCE 9: 143:17316

REFERENCE 10: 143:16314

=> d his

(FILE 'HOME' ENTERED AT 13:27:00 ON 30 JUN 2005)
SET COST OFF

FILE 'HCAPLUS' ENTERED AT 13:27:15 ON 30 JUN 2005

L1 1 S (US20040230078/PN OR (US2004-785301# OR US2003-449975#)/AP,PR
E STAHL S/AU

L2 116 S E3,E6,E13,E14
E GELLMAN S/AU

L3 203 S E4-E7
E ELDRED S/AU

L4 5 S E4,E5
SEL RN L1

FILE 'REGISTRY' ENTERED AT 13:30:10 ON 30 JUN 2005

L5 19 S E1-E19
L6 3 S L5 AND (SC OR AL OR TI)/ELS
L7 5 S 1493-13-6/CRN AND SC/ELS
L8 3 S L7 NOT (NC5-C6-C6 OR C6-C6)/ES
L9 17 S 124-40-3/CRN AND TI/ELS
SEL RN 12-15 17

L10 5 S E20-E24
E C12H36AL2N6/MF

L11 1 S E3
L12 9 S L6,L8,L10,L11
L13 9 S (ALUMINUM OR LANTHANUM OR SCANDIUM OR TANTALUM OR TIN OR TITA
L14 1339 S (LA OR TA OR TI OR Y OR AL OR SC OR SN OR YB OR ZR)/MF
L15 456 S L14 NOT (MASS OR ISOTOPE)
L16 18 S 124-40-3/CRN AND ZR/ELS
L17 12 S 124-40-3/CRN AND TA/ELS
L18 3 S L16 AND 2/NC
L19 1 S 19756-04-8
L20 1 S 19824-59-0
L21 292 S 999-97-3/CRN
L22 50 S L21 AND (LI OR NA OR K OR ZN)/ELS
L23 5 S L22 AND 2/NC
L24 4 S L23 NOT 6LI
L25 45 S L22 NOT L23
L26 1 S TOLUENE/CN
L27 1 S BENZENE/CN

FILE 'HCAPLUS' ENTERED AT 13:47:49 ON 30 JUN 2005

E TRANSAMIDAT/CT

L28 1 S E5
E E4+ALL

L29 136 S E2

L30 745 S E7
E E12,E14
E TRANSAMIDAT/CT
E E7+ALL

L31 57 S E8

L32 11 S E7

L33 1 S E9

L34 0 S E10

L35 13 S E11,E12

L36 71 S E15-E17
 L37 6 S E20;E22-E24
 L38 66 S E27-E30
 E TRANSAMIDAT
 L39 750 S E4-E10
 E METATHESIS/CT
 L40 2947 S E3-E10
 E E3+ALL
 L41 3719 S E4,E5
 E E9+ALL
 L42 2059 S E5,E4
 E E8+ALL
 E E10+ALL
 L43 258 S E4,E5
 E METATHE
 L44 13336 S E24,E26,E27-E34
 L45 3478 S E25,E35-E47
 L46 16273 S L28-L45
 L47 667255 S L12,L13,L15,L19,L20,L24
 L48 296 S L46 AND L47
 L49 11 S L48 AND L26,L27
 E AMIDES/CT
 E AMIDES, /CT
 L50 8953 S E13,E14,E16
 E AMINES/CT
 E AMINES, /CT
 L51 31690 S E17,E18,E20
 L52 17465 S (AMIDES OR AMINES)/CT (L) PREP+NT/RL
 L53 9793 S (AMIDES OR AMINES)/CT (L) PROC+NT/RL
 L54 13 S L50-L53 AND L48
 L55 23 S L49,L54
 L56 2 S L1-L4 AND L55
 L57 355 S (AMIDATION OR TRANSAMIDATION OR METATHESIS) AND L47
 L58 37 S L50-L53 AND L57
 L59 17 S L26,L27 AND L57
 L60 2 S L1-L4 AND L48,L57
 L61 2 S L1,L56,L60
 L62 53 S L49,L55,L58,L59 NOT L61
 L63 30 S L62 AND CATALY?
 L64 44 S L62 AND (PD<=20030224 OR PRD<=20030224 OR AD<=20030224)
 L65 15 S L64 AND (CARBOXAMIDE OR LIGAND OR SURFACTANT OR CARBAMATE OR
 SEL DN AN 13
 L66 1 S L65 AND E1-E3
 L67 3 S L61,L66
 L68 217 S SC OTF 3
 L69 184 S TI NME2 4
 L70 7 S AL2 NME2 6
 L71 99 S ZR NME2 4
 L72 33 S TA NME2 5
 L73 0 S LI NTMS
 L74 0 S LI NTMS2
 L75 0 S NA NTMS2
 L76 0 S K NTMS2
 L77 1 S ZN NTMS2
 L78 23 S L68-L77 AND L46
 L79 28 S L68-L77 AND L50-L53
 L80 18 S (AMIDATION OR TRANSAMIDATION OR METATHESIS) AND L68-L77
 L81 50 S L78-L80
 L82 49 S L81 NOT L64,L67
 L83 34 S L82 AND (PD<=20030224 OR PRD<=20030224 OR AD<=20030224)

L84 4 S L83 AND (THREE COMPONENT OR PRECATALYST)/TI
 L85 1 S L81 NOT L82
 L86 7 S L67,L84,L85
 L87 7 S L86 AND L1-L4,L28-L86
 L88 7 S L87 AND (AMIDAT? OR AMINE? OR AMIDE? OR METATHE?) /CT,CW

FILE 'REGISTRY' ENTERED AT 14:23:44 ON 30 JUN 2005

FILE 'HCAPLUS' ENTERED AT 14:24:05 ON 30 JUN 2005
 SEL RN L88

FILE 'REGISTRY' ENTERED AT 14:24:10 ON 30 JUN 2005
 L89 107 S E4-E110
 L90 6 S L89 AND L12,L13,L15,L19,L20,L24,L26,L27
 L91 101 S L89 NOT L90

=> fil hcaplus
 FILE 'HCAPLUS' ENTERED AT 14:27:00 ON 30 JUN 2005
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Jun 2005 VOL 143 ISS 1
 FILE LAST UPDATED: 29 Jun 2005 (20050629/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d 188 all hitstr tot

L88 ANSWER 1 OF 7 HCAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:999711 HCAPLUS
 DN 141:412742
 ED Entered STN: 19 Nov 2004
 TI Catalytic transamidation and carboxamide metathesis under moderate conditions
 IN Stahl, Shannon S.; Gellman, Samuel H.; Eldred, Sarah E.
 PA USA
 SO U.S. Pat. Appl. Publ., 11 pp.
 CODEN: USXXCO
 DT Patent
 LA English
 IC ICM C07C235-02
 INCL 564123000
 CC 45-4 (Industrial Organic Chemicals, Leather, Fats, and Waxes).
 Section cross-reference(s): 67

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004230078	A1	20041118	US 2004-785301	20040224 <--
PRAI	US 2003-449975P	P	20030224	<--	

CLASS

	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
	US 2004230078	ICM	C07C235-02
		INCL	564123000
	US 2004230078	NCL	564/123.000

OS CASREACT 141:412742

AB A method of manipulating the carboxamide functionality in a catalytic manner is described comprising reacting amides (e.g., heptanilide) with or without amines (e.g., benzylamine) in the presence of various types of metal catalysts (e.g., scandium tritriflate) at $\leq 250^\circ$ (e.g., producing aniline and N-benzylheptanamide).

ST catalytic transamidation carboxamide metathesis

IT Metathesis

Metathesis catalysts

(catalytic transamidation and carboxamide metathesis under moderate conditions)

IT Amides, preparation

Amines, preparation

Anilides

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(catalytic transamidation and carboxamide metathesis under moderate conditions)

IT Amides, preparation

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(secondary; catalytic transamidation and carboxamide metathesis under moderate conditions)

IT Amidation catalysts

(transamidation catalysts; catalytic transamidation and carboxamide metathesis under moderate conditions)

IT Amidation

(transamidation; catalytic transamidation and carboxamide metathesis under moderate conditions)

IT 3275-24-9 32093-39-3 144026-79-9, Scandium triflate

RL: CAT (Catalyst use); USES (Uses)
(catalyst; catalytic transamidation and carboxamide metathesis under moderate conditions)

IT 62-53-3P, Aniline, preparation 55917-07-2P 90934-70-6P 128007-45-4P
512173-22-7P 512173-23-8P 512173-24-9P

RL: IMF (Industrial manufacture); PREP (Preparation)
(catalytic transamidation and carboxamide metathesis under moderate conditions)

IT 100-46-9P, Benzylamine, preparation 104-94-9P, 4-Aminoanisole

106-49-0P, 4-Aminotoluene, preparation 20172-34-3P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(catalytic transamidation and carboxamide metathesis under moderate conditions)

IT 107-11-9, Allyl amine 107-85-7 109-85-3 56051-98-0, Heptanoic anilide

RL: RCT (Reactant); RACT (Reactant or reagent)
(catalytic transamidation and carboxamide metathesis

under moderate conditions)

IT 108-88-3, Toluene, uses
 RL: NUU (Other use, unclassified); USES (Uses)
 (solvent; catalytic **transamidation** and carboxamide
metathesis under moderate conditions)

IT 3275-24-9 32093-39-3 144026-79-9, Scandium
 triflate
 RL: CAT (Catalyst use); USES (Uses)
 (catalyst; catalytic **transamidation** and carboxamide
metathesis under moderate conditions)


RN 3275-24-9 HCAPLUS

CN Methanamine, N-methyl-, titanium(4+) salt (9CI) (CA INDEX NAME)




● 1/4 Ti(IV)

RN 32093-39-3 HCAPLUS
 CN Aluminum, bis[μ -(N-methylmethanaminato)]tetrakis(N-methylmethanaminato)di- (9CI) (CA INDEX NAME)




RN 144026-79-9 HCAPLUS
 CN Methanesulfonic acid, trifluoro-, scandium(3+) salt (9CI) (CA INDEX NAME)



● 1/3 Sc(III)

IT 108-88-3, Toluene, uses
 RL: NUU (Other use, unclassified); USES (Uses)
 (solvent; catalytic **transamidation** and carboxamide
metathesis under moderate conditions)

RN 108-88-3 HCAPLUS
 CN Benzene, methyl-- (9CI) (CA INDEX NAME)



L88 ANSWER 2 OF 7 HCAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:155386 HCAPLUS
 DN 138:320705
 ED Entered STN: 02 Mar 2003
 TI Catalytic **Transamidation** under Moderate Conditions
 AU Eldred, Sarah E.; Stone, David A.; Gellman, Samuel H.;
 Stahl, Shannon S.
 CS Department of Chemistry, University of Wisconsin-Madison, Madison, WI,
 53706, USA
 SO Journal of the American Chemical Society (2003), 125(12), 3422-3423
 CODEN: JACSAT; ISSN: 0002-7863
 PB American Chemical Society
 DT Journal
 LA English
 CC 21-2 (General Organic Chemistry)
 OS CASREACT 138:320705
 AB Whereas the carboxamide group is generally inert, except under harsh conditions or in the presence of highly evolved enzymes, some Lewis acids and metal amides, such as scandium triflate, $Ti(NMe_2)_4$, or $Al_2(NMe_2)_6$, efficiently catalyzed **transamidation** reactions of amide/amine mixts. under moderate conditions. For example, treatment of N-Ph heptanamide with primary alkyl amines RNH_2 ($R = H_2C:CH$, $Me_2CHCH_2CH_2$, $MeOCH_2CH_2$, $PhCH_2$) in the presence of $Sc(OTf)_3$ or $Ti(NMe_2)_4$ gave aniline and the corresponding N-alkyl heptanamides in 88-98% yields. Thermonuclear exchange reactions between alkyl amines and N-alkyl heptanamides or between aryl amines and N-aryl heptanamides were also studied.
 ST amide catalytic **transamidation** amine metal Lewis acid catalyst;
 amine amide exchange reaction metal catalyst
 IT **Amidation catalysts**
 (Lewis acid or metal amide catalyzed **transamidation** of
 N-alkyl or N-aryl heptanamides with aliphatic or aromatic amines)
 IT **Amides, preparation**
Amines, preparation
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (Lewis acid or metal amide catalyzed **transamidation** of
 N-alkyl or N-aryl heptanamides with aliphatic or aromatic amines)
 IT **Amidation**
 (transamidation; Lewis acid or metal amide catalyzed
 transamidation of N-alkyl or N-aryl heptanamides with aliphatic or
 aromatic amines)
 IT 3275-24-9, Tetrakis(dimethylamido)titanium 32093-39-3
 144026-79-9, Scandium triflate
 RL: CAT (Catalyst use); USES (Uses)
 (Lewis acid or metal amide catalyzed **transamidation** of
 N-alkyl or N-aryl heptanamides with aliphatic or aromatic amines)
 IT 104-94-9, 4-Methoxyaniline 107-11-9, Allylamine 109-85-3,

2-Methoxyethyl amine 56051-98-0, N-Phenyl heptanamide

RL: RCT (Reactant); RACT (Reactant or reagent)

(Lewis acid or metal amide catalyzed transamidation of

N-alkyl or N-aryl heptanamides with aliphatic or aromatic amines)

IT 100-46-9P, Benzylamine, preparation 106-49-0P, 4-Methylaniline, preparation 107-85-7P, 3-Methylbutanamine 20172-34-3P 55917-07-2P 512173-22-7P 512173-24-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(Lewis acid or metal amide catalyzed transamidation of

N-alkyl or N-aryl heptanamides with aliphatic or aromatic amines)

IT 62-53-3P, Aniline, preparation 128007-45-4P 512173-23-8P

RL: SPN (Synthetic preparation); PREP (Preparation)

(Lewis acid or metal amide catalyzed transamidation of

N-alkyl or N-aryl heptanamides with aliphatic or aromatic amines)

RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Basha, A; Tetrahedron Lett 1977, P4171 HCPLUS
- (2) Beste, L; J Polym Sci 1952, V8, P395 HCPLUS
- (3) Bon, E; J Org Chem 1994, V59, P4035 HCPLUS
- (4) Brady, P; Chem Commun 1996, P319 HCPLUS
- (5) Karan, C; Drug Discovery Today 2000, V5, P67 HCPLUS
- (6) Kissling, R; Org Lett 2000, V2, P4209 HCPLUS
- (7) Lehn, J; Chem-Eur J 1999, V5, P2455 HCPLUS
- (8) Lehn, J; Science 2001, V291, P2331 HCPLUS
- (9) McKinney, R; US 5302756 1994 HCPLUS
- (10) McKinney, R; US 5395974 1995 HCPLUS
- (11) Meth-Cohn, O; J Chem Soc, Chem Commun 1986, P695 HCPLUS
- (12) Miller, L; J Polym Sci, Polym Chem Ed 1976, V14, P1403
- (13) Ogata, N; Makromol Chem 1959, V30, P212 HCPLUS
- (14) Oh, K; Nature 2001, V414, P889 HCPLUS
- (15) Otera, J; Chem Rev 1993, V93, P1449 HCPLUS
- (16) Otto, S; Science 2002, V297, P590 HCPLUS
- (17) Rowan, S; Angew Chem, Int Ed 2002, V41, P898
- (18) Sergeeva, M; Biotechnol Lett 2000, V22, P1419 HCPLUS
- (19) Stanton, M; J Am Chem Soc 1997, V119, P5075 HCPLUS
- (20) Stanton, M; J Am Chem Soc 1998, V120, P5981 HCPLUS
- (21) Suggs, J; Tetrahedron Lett 1997, V38, P2227 HCPLUS
- (22) Swann, P; Biopolymers 1996, V40, P617 HCPLUS

IT 3275-24-9, Tetrakis(dimethylamido)titanium 32093-39-3

144026-79-9, Scandium triflate

RL: CAT (Catalyst use); USES (Uses)

(Lewis acid or metal amide catalyzed transamidation of

N-alkyl or N-aryl heptanamides with aliphatic or aromatic amines)

RN 3275-24-9 HCPLUS


CN Methanamine, N-methyl-, titanium(4+) salt (9CI) (CA INDEX NAME)



●1/4 Ti(IV)


RN 32093-39-3 HCPLUS

CN Aluminum, bis[μ-(N-methylmethanaminato)]tetrakis(N-methylmethanaminato)di- (9CI) (CA INDEX NAME)



RN 144026-79-9 HCPLUS

CN Methanesulfonic acid, trifluoro-, scandium(3+) salt (9CI) (CA INDEX NAME)



●1/3 Sc(III)

L88 ANSWER 3 OF 7 HCPLUS COPYRIGHT 2005 ACS on STN

AN 2002:791434 HCPLUS

DN 139:213849

ED Entered STN: 18 Oct 2002

TI *Ti(NMe₂)₄* as a **precatalyst** for hydroamination of alkynes with primary amines. [Erratum to document cited in CA135:303457]

AU Shi, Yanhui; Ciszewski, James T.; Odom, Aaron L.

CS Department of Chemistry, Michigan State University, East Lansing, MI, 48824, USA

SO Organometallics (2002), 21(23), 5148

CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LA English

CC 21-2 (General Organic Chemistry)

AB The method used for workup and anal. of hydroaminatino reactions involving one substrate in Table 1 led to a misinterpretation of regioselectivities. Table 1, with correction of rows 3 and 7, is reprinted. The adjusted regioselectivities were found to be consistent using a combination of GC/FID on crude reaction mixts., in comparison with authentic samples, and ¹H NMR on isolated products. Isolations were done on the imines where possible to get consistent results. Otherwise, the products were reduced by lithium aluminum hydride in THF, and the corresponding amines were isolated. The yields are of isolated products.

ST erratum titanium tetrakisdimethylamide hydroamination catalyst alkyne amine

IT Amination

Amination catalysts

(reductive; titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines (Erratum))

IT Alkynes

Amines, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines (Erratum))

IT 1749-19-5P 3723-13-5P 14548-16-4P 38407-00-0P 40475-58-9P

63459-02-9P 117555-73-4P 133527-55-6P 150666-72-1P 289507-90-0P

367279-80-9P 367279-81-0P 367279-82-1P 367279-83-2P 367279-84-3P

367279-85-4P 367279-86-5P 367279-87-6P 367279-88-7P 367279-89-8P

367279-90-1P 367279-91-2P 367279-92-3P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of (Erratum))

IT 3275-24-9, Titanium tetrakis(dimethylamide)

RL: CAT (Catalyst use); USES (Uses)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines (Erratum))

IT 62-53-3, Benzenamine, reactions 75-64-9, reactions 91-00-9 100-46-9,

Benzenemethanamine, reactions 104-94-9 106-49-0, reactions 501-65-5

536-74-3 536-90-3 579-66-8 626-43-7 693-02-7, 1-Hexyne 771-60-8

928-49-4, 3-Hexyne

RL: RCT (Reactant); RACT (Reactant or reagent)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines (Erratum))

IT 3275-24-9, Titanium tetrakis(dimethylamide)

RL: CAT (Catalyst use); USES (Uses)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines (Erratum))

RN 3275-24-9 HCPLUS

CN Methanamine, N-methyl-, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

L88 ANSWER 4 OF 7 HCPLUS COPYRIGHT 2005 ACS on STN

AN 2001:583904 HCPLUS

DN 135:303457

ED Entered STN: 14 Aug 2001

TI Ti(NMe₂)₄ as a Precatalyst for

Hydroamination of Alkynes with Primary Amines

AU Shi, Yanhui; Ciszewski, James T.; Odom, Aaron L.

CS Department of Chemistry, Michigan State University, East Lansing, MI, 48824, USA

SO Organometallics (2001), 20(19), 3967-3969

CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LA English

CC 21-2 (General Organic Chemistry)

OS CASREACT 135:303457

AB Hydroaminations of carbon-carbon triple bonds with primary amines are catalyzed with com. available Ti(NMe₂)₄.

Thus, 1-hexyne undergoes hydroamination with benzylamine to give 90% of a

3:1 mixture of Markovnikov and anti-Markovnikov products. The reaction is surprisingly fast with many substrates and often selective for the Markovnikov product with terminal alkynes. The scope of the catalysis was investigated with a variety of amines and alkynes; arylamines and 1-hexyne were found to be especially good substrates.

ST titanium tetrakis(dimethylamide) hydroamination catalyst alkyne amine

IT Amination

Amination catalysts

(reductive; titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines)

IT Alkynes

Amines, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines)

IT 1749-19-5P 3723-13-5P 14548-16-4P 38407-00-0P 40475-58-9P

63459-02-9P 117555-73-4P 133527-55-6P 150666-72-1P 289507-90-0P

367279-80-9P 367279-81-0P 367279-82-1P 367279-83-2P 367279-84-3P

367279-85-4P 367279-86-5P 367279-87-6P 367279-88-7P 367279-89-8P

367279-90-1P 367279-91-2P 367279-92-3P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of)

IT 3275-24-9, Titanium tetrakis(dimethylamide)

RL: CAT (Catalyst use); USES (Uses)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines)

IT 62-53-3, Benzenamine, reactions 75-64-9, reactions 91-00-9 100-46-9,

Benzenemethanamine, reactions 104-94-9 106-49-0, reactions 501-65-5

536-74-3 536-90-3 579-66-8 626-43-7 693-02-7, 1-Hexyne 771-60-8

928-49-4, 3-Hexyne

RL: RCT (Reactant); RACT (Reactant or reagent)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines)

RE.CNT 23 THERE ARE 23 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Beller, M; J Organomet Chem 1998, V566, P277 HCPLUS
- (2) Bradley, D; J Chem Soc 1960, P3859
- (3) Brooke, G; J Chem Soc, Perkin Trans 1 1983, P821 HCPLUS
- (4) Camps, F; Synthesis 1979, P126 HCPLUS
- (5) Cao, C; Manuscripts in preparation
- (6) Haak, E; Angew Chem, Int Ed 1999, V38, P3389 HCPLUS
- (7) Haak, E; Org Lett 2000, V2, P1935 HCPLUS
- (8) Harris, S; Inorg Chem 2001, V40, P1987 HCPLUS
- (9) Johnson, J; J Am Chem Soc 2001, V123 HCPLUS
- (10) Kawatsura, M; J Am Chem Soc 2000, V122, P9546 HCPLUS
- (11) Li, Y; J Am Chem Soc 1996, V118, P9295
- (12) Li, Y; J Am Chem Soc 1996, V118, P9295
- (13) Li, Y; J Am Chem Soc 1998, V120, P1757 HCPLUS
- (14) Matsui, M; J Chem Soc, Perkin Trans 2 1993, P1107 HCPLUS
- (15) McGrane, P; J Am Chem Soc 1993, V115, P11485 HCPLUS
- (16) Molander, G; J Org Chem 1999, V64, P6515 HCPLUS
- (17) Muller, T; Chem Rev 1998, V98, P675
- (18) Pez, G; Pure Appl Chem 1985, V57, P1917 HCPLUS
- (19) Siebeneicher, H; J Prak Chem-Chem Ztg 2000, V342, P102 HCPLUS
- (20) Straub, T; J Chem Soc, Dalton Trans 1996, P2541 HCPLUS
- (21) Thorn, D; J Am Chem Soc 1981, V103, P357 HCPLUS
- (22) Tokunaga, M; Angew Chem, Int Ed 1999, V38, P3222 HCPLUS
- (23) Walsh, P; J Am Chem Soc 1992, V114, P1708 HCPLUS

IT 3275-24-9, Titanium tetrakis(dimethylamide)

RL: CAT (Catalyst use); USES (Uses)

(titanium tetrakis(dimethylamide) catalyzed hydroamination of alkynes with primary amines)

RN 3275-24-9 HCPLUS

CN Methanamine, N-methyl-, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

L88 ANSWER 5 OF 7 HCPLUS COPYRIGHT 2005 ACS on STN
 AN 1998:88293 HCPLUS
 DN 128:167217
 ED Entered STN: 16 Feb 1998
 TI **Sc(OTf)3-catalyzed three-component reactions of aldehydes, amines and allyltributylstannane in micellar systems. Facile synthesis of homoallylic amines in water**
 AU Kobayashi, Shu; Busujima, Tsuyoshi; Nagayama, Satoshi
 CS Dep. Applied Chem., Fac. Sci., Sci. Univ. Tokyo (SUT), Tokyo, 162, Japan
 SO Chemical Communications (Cambridge) (1998), (1), 19-20
 CODEN: CHCOFS; ISSN: 1359-7345
 PB Royal Society of Chemistry
 DT Journal
 LA English
 CC 25-4 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
 AB Three-component reactions of aldehydes, amines and allyltributylstannane proceeded smoothly in water without using any organic solvents, in the presence of a small amount of scandium trifluoromethanesulfonate [Sc(OTf)3] and sodium dodecylsulfate (SDS), to afford the corresponding homoallylic amines in high yields.
 ST homoallylic amine prep catalyst
 IT Catalysts
 (preparation of homoallylic amines in micellar systems)
 IT Aldehydes, reactions
 RL: PRP (Properties); RCT (Reactant); RACT (Reactant or reagent)
 (preparation of homoallylic amines in micellar systems)
 IT Amines, preparation
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of homoallylic amines in micellar systems)
 IT 144026-79-9
 RL: CAT (Catalyst use); USES (Uses)
 (preparation of homoallylic amines in micellar systems)
 IT 62-53-3, Phenylamine, reactions 98-01-1, 2-Furancarboxaldehyde, reactions 98-03-3, 2-Thiophenecarboxaldehyde 100-52-7, Benzaldehyde, reactions 104-53-0, Benzenepropanal 104-88-1, 4-Chlorobenzaldehyde, reactions 104-94-9, 4-MethoxyPhenylamine 106-47-8, 4-ChloroPhenylamine, reactions 124-19-6, Nonanal 1074-12-0 2043-61-0, Cyclohexanecarboxaldehyde 14371-10-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of homoallylic amines in micellar systems)
 IT 66489-79-0P 150562-30-4P 178983-06-7P 181762-18-5P 197147-29-8P
 202875-32-9P 202875-33-0P 202875-34-1P 202875-35-2P 202875-36-3P
 202875-37-4P 202875-38-5P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of homoallylic amines in micellar systems)
 RE.CNT 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Bellucci, C; Tetrahedron Lett 1995, V36, P7289 HCPLUS
- (2) Ciufolini, A; J Org Chem 1989, V54, P4739
- (3) Cramer, C; Structure and Reactivity in Aqueous Solution 1994
- (4) Fendler, J; Catalysis in Micellar and Macromolecular Systems 1975
- (5) Grieco, P; J Org Chem 1987, V52, P1378 HCPLUS
- (6) Holland, P; Mixed Surfactant Systems 1994
- (7) Keck, G; J Org Chem 1985, V50, P147
- (8) Kobayashi, S; Chem Lett 1997, P831 HCPLUS
- (9) Kobayashi, S; J Chem Soc, Chem Commun 1995, P1379 HCPLUS
- (10) Kobayashi, S; J Org Chem 1997, V62, P232 HCPLUS
- (11) Kobayashi, S; Synlett 1994, P689 HCPLUS
- (12) Kobayashi, S; Tetrahedron Lett 1997, V38, P4559 HCPLUS
- (13) Li, C; Chem Rev 1993, V93, P2023 HCPLUS
- (14) Lubineau, A; Synthesis 1994, P741 HCPLUS
- (15) Nakamura, H; J Am Chem Soc 1996, V118, P6641 HCPLUS
- (16) Sabatini, D; Surfactant-Enhanced Subsurface Remediation 1995
- (17) Yamamoto, Y; Chem Rev 1992, V93, P2207
- (18) Yamamoto, Y; J Org Chem 1985, V50, P3115 HCPLUS
- (19) Yasuda, M; Tetrahedron Lett 1996, V37, P5951 HCPLUS


IT 144026-79-9

RL: CAT (Catalyst use); USES (Uses)

(preparation of homoallylic amines in micellar systems)

RN 144026-79-9 HCPLUS

CN Methanesulfonic acid, trifluoro-, scandium(3+) salt (9CI) (CA INDEX NAME)



●1/3 Sc(III)

L88 ANSWER 6 OF 7 HCPLUS COPYRIGHT 2005 ACS on STN
 AN 1995:639369 HCPLUS
 DN 123:227961
 ED Entered STN: 27 Jun 1995
 TI Ln(OTf)3- or Sc(OTf)3-catalyzed
 three component coupling reactions between aldehydes,
 amines, and dienes or alkenes. Efficient syntheses of pyridine and
 quinoline derivatives
 AU Kobayashi, Shu; Ishitani, Haruro; Nagayama, Satoshi
 CS Dep. Applied Chemistry, Science Univ., Tokyo, 162, Japan
 SO Chemistry Letters (1995), (6), 423-24
 CODEN: CMLTAG; ISSN: 0366-7022
 PB Nippon Kagakkai
 DT Journal
 LA English
 CC 27-17 (Heterocyclic Compounds (One Hetero Atom))
 OS CASREACT 123:227961
 AB Three components coupling reactions between aldehydes, amines, and dienes
 or alkenes were catalyzed by lanthanide or scandium triflate to afford
 pyridine and quinoline derivs. in high yields. The Lewis acid catalysts
 were stable and kept their activity even in the presence of water and

amines.

ST coupling reaction aldehyde amine alkene alkadiene; pyridine deriv; ytterbium catalyst coupling reaction; quinoline deriv; scandium catalyst coupling reaction

IT Coupling reaction

Coupling reaction catalysts

($\text{Ln}(\text{OTf})_3$ - or $\text{Sc}(\text{OTf})_3$ -catalyzed three component coupling reactions between aldehydes, amines, and dienes or alkenes)

IT Aldehydes, reactions

Alkadienes

Alkenes, reactions

Amines, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

($\text{Ln}(\text{OTf})_3$ - or $\text{Sc}(\text{OTf})_3$ -catalyzed three component coupling reactions between aldehydes, amines, and dienes or alkenes)

IT 62-53-3, Aniline, reactions 90-04-0, o-Methoxyaniline 100-52-7, Benzaldehyde, reactions 104-94-9, p-Methoxyaniline 109-92-2, Ethoxyethene 116-11-0 513-81-5, 2,3-Dimethyl-1,3-butadiene 542-92-7, Cyclopentadiene, reactions 783-08-4 922-68-9, Methyl oxoacetate 1074-12-0, Phenylglyoxal 1822-73-7, (Phenylthio)ethene 54125-02-9 54761-04-5, Ytterbium triflate 144026-79-9, Scandium triflate

RL: RCT (Reactant); RACT (Reactant or reagent)

($\text{Ln}(\text{OTf})_3$ - or $\text{Sc}(\text{OTf})_3$ -catalyzed three component coupling reactions between aldehydes, amines, and dienes or alkenes)

IT 168326-40-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

($\text{Ln}(\text{OTf})_3$ - or $\text{Sc}(\text{OTf})_3$ -catalyzed three component coupling reactions between aldehydes, amines, and dienes or alkenes)

IT 4789-76-8P 5568-58-1P 21086-06-6P 84307-76-6P 168326-39-4P 168326-41-8P 168326-42-9P 168326-43-0P 168326-44-1P 168326-45-2P 168326-46-3P 168326-47-4P 168326-48-5P

RL: SPN (Synthetic preparation); PREP (Preparation)

($\text{Ln}(\text{OTf})_3$ - or $\text{Sc}(\text{OTf})_3$ -catalyzed three component coupling reactions between aldehydes, amines, and dienes or alkenes)


IT 144026-79-9, Scandium triflate

RL: RCT (Reactant); RACT (Reactant or reagent)

($\text{Ln}(\text{OTf})_3$ - or $\text{Sc}(\text{OTf})_3$ -catalyzed three component coupling reactions between aldehydes, amines, and dienes or alkenes)

RN 144026-79-9 HCAPLUS

CN Methanesulfonic acid, trifluoro-, scandium(3+) salt (9CI) (CA INDEX NAME)



●1/3 Sc(III)

L88 ANSWER 7 OF 7 HCAPLUS COPYRIGHT 2005 ACS on STN
 AN 1994:557156 HCAPLUS
 DN 121:157156
 ED Entered STN: 01 Oct 1994
 TI amidation of carboxylic acids using supported transition metal catalysts.
 IN Krogh, James A.; Mokadam, Anita R.; Smith, B. Brian
 PA Exxon Chemical Patents, Inc., USA
 SO PCT Int. Appl., 22 pp.
 CODEN: PIXXD2

DT Patent
 LA English
 IC ICM C07C231-02
 CC 23-18 (Aliphatic Compounds)
 Section cross-reference(s): 67

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9415905 W: CA RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE CA 2153173 CA 2153173 EP 677038 EP 677038 R: BE, DE, ES, FR, GB, IT, NL ES 2120013 US 5587498	A1 AA C A1 B1 T3 A	19940721 19940721 20021217 19951018 19980708 19981016 19961224	WO 1994-US233 CA 1994-2153173 EP 1994-905601 ES 1994-905601 US 1994-314454	19940103 <-- 19940103 <-- 19940103 <-- 19940103 <-- 19940103 <-- 19940928 <--
PRAI	US 1993-63 WO 1994-US233	A W	19930104 19940103	<-- <--	

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 9415905 WO 9415905 US 5587498	ICM ECLA NCL ECLA	C07C231-02 C07C231/02 554/069.000; 564/138.000; 564/141.000 C07C231/02

OS CASREACT 121:157156
 AB Amides were prepared on a batch, continuous, or semicontinuous basis by reaction of a carboxylic acid with an amine (approx. 1:1 molar ratio) at 220-350° in the presence of ≥0.001 weight% of a

catalyst containing a transition metal selected from Groups IVb, Vb, and VIb and bound to a solid support. Thus, neodecanoic acid and MeNH₂ were heated at 220-250° and 300 psi in the presence of a Ti on clay catalyst for 15 h to give >90% yield of amide.

ST carboxylic acid amidation transition metal catalyst;
 carboxamide

IT Amidation catalysts
 (Group IVb, Vb, and VIb metals on solid supports)

IT Bentonite, uses

RL: CAT (Catalyst use); USES (Uses)
 (catalyst, for amidation of carboxylic acids)

IT Transition metals, uses

RL: CAT (Catalyst use); USES (Uses)
 (catalysts, supported, for amidation reaction)

IT Amidation

(of carboxylic acids by ammonia or primary or secondary amines)

IT Amides, preparation

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of, by supported transition metal-catalyzed
amidation reaction)

IT 74-89-5, Methylamine, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
(amidation by, of carboxylic acid, supported transition metal
catalysts for)

IT 26896-20-8, Neodecanoic acid
RL: RCT (Reactant); RACT (Reactant or reagent)
(amidation of, supported transition metal catalysts
for)

IT 546-68-9, Tyzor tpt 2171-98-4, Zirconium tetraisopropoxide
RL: CAT (Catalyst use); USES (Uses)
(catalyst, for amidation of carboxylic acids)

IT 7440-32-6, Titanium, uses 7440-58-6, Hafnium, uses 7440-62-2,
Vanadium, uses 7440-67-7, Zirconium, uses
RL: CAT (Catalyst use); USES (Uses)
(catalyst, supported, for amidation of carboxylic
acids)

IT 105726-67-8P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, via supported transition metal-catalyzed
amidation)

IT 7440-32-6, Titanium, uses 7440-67-7, Zirconium, uses
RL: CAT (Catalyst use); USES (Uses)
(catalyst, supported, for amidation of carboxylic
acids)

RN 7440-32-6 HCAPLUS
CN Titanium (8CI, 9CI) (CA INDEX NAME)

Ti

RN 7440-67-7 HCAPLUS
CN Zirconium (8CI, 9CI) (CA INDEX NAME)

Zr

=>